

```

// named.rfc1912.zones:
//
// Provided by Red Hat caching-nameserver package
//
// ISC BIND named zone configuration for zones recommended by
// RFC 1912 section 4.1 : localhost TLDs and address zones
// and https://tools.ietf.org/html/rfc6303
// (c) 2007 R W Franks
//
// See /usr/share/doc/bind*/sample/ for example named configuration
// files.
//
// Note: empty-zones-enable yes; option is default.
// If private ranges should be forwarded, add
// disable-empty-zone "."; into options
//

zone "localhost.localdomain" IN {
    type master;
    file "named.localhost";
    allow-update { none; };
};

zone "localhost" IN {
    type master;
    file "named.localhost";
    allow-update { none; };
};

zone
"1.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.ip6.arpa"
" IN {
    type master;
    file "named.loopback";
    allow-update { none; };
};

zone "1.0.0.127.in-addr.arpa" IN {
    type master;
    file "named.loopback";
    allow-update { none; };
};

zone "0.in-addr.arpa" IN {
    type master;
    file "named.empty";
    allow-update { none; };
};

#####
####NSC zone "255.in-addr.arpa" IN {
####NSC     type master;
####NSC     file "named.broadcast";
####NSC     allow-update { none; };
####NSC};


```

```

zone "_msdcs.cs.ucy.ac.cy" IN {
    type forward;
    forward only;
###NSC      check-names ignore;
    forwarders {
        10.16.1.28; 10.16.1.120; 10.16.1.123;
    };
};

zone "_tcp.cs.ucy.ac.cy" IN {
    type forward;
    forward only;
###NSC      check-names ignore;
    forwarders {
        10.16.1.28; 10.16.1.120; 10.16.1.123;
    };
};

zone "csmail.local" IN {
    type slave;
    file "slaves/csmail.local";
    masters { 10.16.1.115; };
    allow-query {194.42.17.130; 194.42.17.141; 10.16.1.113;
10.16.1.114; localhost; };
    allow-transfer { none; };
};

zone "ucy.ac.cy" IN {
    type forward;
    forwarders { 194.42.17.148; 194.42.17.149; };
};

zone "cypruslibraries.ac.cy" IN {
    type forward;
    forwarders { 194.42.17.148; 194.42.17.149; };
};

zone "libraries-search.ac.cy" IN {
    type forward;
    forwarders { 194.42.17.148; 194.42.17.149; };
};

zone "172.in-addr.arpa" IN {
    type forward;
    forwarders { 194.42.17.148; 194.42.17.149; };
};

zone "_udp.cs.ucy.ac.cy" IN {
    type forward;
    forward only;
###NSC      check-names ignore;
    forwarders {
        10.16.1.28; 10.16.1.120; 10.16.1.123;
    };
};

zone "_sites.cs.ucy.ac.cy" IN {
    type forward;
}

```

```

        forward only;
###NSC      check-names ignore;
        forwarders {
            10.16.1.28; 10.16.1.120; 10.16.1.123;
        };
};

zone "DomainDnsZones.cs.ucy.ac.cy" IN {
    type forward;
    forward only;
###NSC      check-names ignore;
    forwarders {
        10.16.1.28; 10.16.1.120; 10.16.1.123;
    };
};

zone "ForestDnsZones.cs.ucy.ac.cy" IN {
    type forward;
    forward only;
###NSC      check-names ignore;
    forwarders {
        10.16.1.28; 10.16.1.120; 10.16.1.123;
    };
};

zone "cs.ucy.ac.cy" IN {
    type slave;
    file "slaves/cs.ucy.ac.cy";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    allow-transfer { none; };
};

zone "in.cs.ucy.ac.cy" IN {
    type slave;
    file "slaves/in.cs.ucy.ac.cy";
    check-names fail;
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    allow-transfer { none; };
};

zone "wr.cs.ucy.ac.cy" IN {
    type slave;
    file "slaves/wr.cs.ucy.ac.cy";
    check-names fail;
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    allow-transfer { none; };
};

```

```

zone "in.grid.ucy.ac.cy" IN {
    type slave;
    file "slaves/in.grid.ucy.ac.cy";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    allow-transfer { none; };
};

zone "iscsi.cs.ucy.ac.cy" IN {
    type slave;
    file "slaves/iscsi.cs.ucy.ac.cy";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    allow-transfer { none; };
};

zone "andreasaristidou.com" IN {
    type slave;
    file "slaves/andreasaristidou.com";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    allow-transfer { none; };
    allow-notify {
        CSS;
    };
};
;

zone "grid.ucy.ac.cy" IN {
    type slave;
    file "slaves/grid.ucy.ac.cy";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    allow-transfer { none; };
};

zone "cygrid.org.cy" IN {
    type slave; // what used to be called
"primary"
    file "slaves/cygrid.org.cy";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    allow-transfer { none; };
};
;
```

```

zone "logipaignion.org.cy" IN {
    type slave;                                // what used to be called
"primary"
    file "slaves/logipaignion.org.cy";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    allow-transfer { none; };
};

zone "epum.eu" IN {
    type slave;                                // what used to be called
"primary"
    file "slaves/epum.eu";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    allow-transfer { none; };
    ##NSC      allow-notify {
    ##NSC          CSS;
    ##NSC      };
};

###NSC zone "oftleurope.eu" IN {
###NSC      type slave;                      // what used to be called
"primary"
###NSC      file "slaves/oftleurope.eu";
###NSC      masters { 10.16.1.115; };
###NSC      allow-query {
###NSC          any;
###NSC      };
###NSC      allow-transfer { none; };
###NSC      allow-notify {
###NSC          CSS;
###NSC      };
###NSC  };

zone "issaproject.eu" IN {
    type slave;
    file "slaves/issaproject.eu";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    allow-transfer { none; };
    allow-notify {
        CSS;
    };
};

zone "project-digit.eu" IN {
    type slave;
    file "slaves/project-digit.eu";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
};

```

```

        };
        allow-transfer { none; };
        allow-notify {
            CSS;
        };
    };

zone "project-idea.eu" IN {
    type slave;
    file "slaves/project-idea.eu";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    ###NSC      allow-transfer { none; };
    ###NSC      allow-notify {
    ###NSC          CSS;
    ###NSC      };
};

zone "success-aal.eu" IN {
    type slave;                                // what used to be called
"primary"
    file "slaves/success-aal.eu";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    ###NSC      allow-transfer { none; };
    ###NSC      allow-notify {
    ###NSC          CSS;
    ###NSC      };
};

# ##NSC zone "pdp2011.org" IN {
# ##NSC      type slave;                      // what used to be called
"primary"
# ##NSC      file "slaves/pdp2011.org";
# ##NSC      masters { 10.16.1.115; };
# ##NSC      allow-query {
# ##NSC          any;
# ##NSC      };
# ##NSC      allow-transfer { none; };
# ##NSC      allow-notify {
# ##NSC          CSS;
# ##NSC      };
# ##NSC  };

# ##NSC zone "pdp2016.org" IN {
# ##NSC      type slave;                      // what used to be called
"primary"
# ##NSC      file "slaves/pdp2016.org";
# ##NSC      masters { 10.16.1.115; };
# ##NSC      allow-query {
# ##NSC          any;
# ##NSC      };
# ##NSC      allow-transfer { none; };
# ##NSC      allow-notify {

```

```

####NSC           CSS;
####NSC           };
####NSC };

####NSC zone "icomos.org.cy" IN {
    ####NSC       type slave;                                // what used to be called
"primary"
    ####NSC       file "slaves/icomos.org.cy";
    ####NSC       masters { 10.16.1.115; };
    ####NSC       allow-query {
        ####NSC           any;
    ####NSC       };
    ####NSC       allow-transfer { none; };
    ####NSC       allow-notify {
        ####NSC           CSS;
    ####NSC       };
    ####NSC   };
};

zone "seop-project.eu" IN {
    type slave;                                // what used to be called
"primary"
    file "slaves/seop-project.eu";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    ####NSC       allow-transfer { none; };
};

zone "16.42.194.in-addr.arpa" IN {
    type slave;
    file "slaves/ucynet16";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    ####NSC       allow-transfer { none; };
};

zone "17.42.194.in-addr.arpa" IN {
    type slave;
    file "slaves/ucynet17";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    ####NSC       allow-transfer { none; };
};

zone "18.42.194.in-addr.arpa" IN {
    type slave;
    file "slaves/ucynet18";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
};

```

```
        };
        allow-transfer { none; };
};

zone "27.42.194.in-addr.arpa" IN {
    type slave;
    file "slaves/ucynet27";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    allow-transfer { none; };
};

zone "0.16.10.in-addr.arpa" IN {
    type slave;
    file "slaves/in-csnet-10.16.0";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    allow-transfer { none; };
};

zone "1.16.10.in-addr.arpa" IN {
    type slave;
    file "slaves/in-csnet-10.16.1";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    allow-transfer { none; };
};

zone "2.16.10.in-addr.arpa" IN {
    type slave;
    file "slaves/in-csnet-10.16.2";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    allow-transfer { none; };
};

zone "3.16.10.in-addr.arpa" IN {
    type slave;
    file "slaves/in-csnet-10.16.3";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    allow-transfer { none; };
};

zone "30.16.10.in-addr.arpa" IN {
    type slave;
    file "slaves/in-csnet-10.16.30";
    masters { 10.16.1.115; };
}
```

```
        allow-query {
            any;
        };
        allow-transfer { none; };
    };

zone "31.16.10.in-addr.arpa" IN {
    type slave;
    file "slaves/in-csnet-10.16.31";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    allow-transfer { none; };
};

zone "32.16.10.in-addr.arpa" IN {
    type slave;
    file "slaves/in-csnet-10.16.32";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    allow-transfer { none; };
};

zone "33.16.10.in-addr.arpa" IN {
    type slave;
    file "slaves/in-csnet-10.16.33";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    allow-transfer { none; };
};

zone "34.16.10.in-addr.arpa" IN {
    type slave;
    file "slaves/in-csnet-10.16.34";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    allow-transfer { none; };
};

zone "4.16.10.in-addr.arpa" IN {
    type slave;
    file "slaves/in-csnet-10.16.4";
    check-names fail;
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    allow-transfer { none; };
};
```

```
zone "40.16.10.in-addr.arpa" IN {
    type slave;
    file "slaves/in-csnet-10.16.40";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    allow-transfer { none; };
};

zone "5.16.10.in-addr.arpa" IN {
    type slave;
    file "slaves/in-csnet-10.16.5";
    check-names fail;
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    allow-transfer { none; };
};

zone "50.16.10.in-addr.arpa" IN {
    type slave;
    file "slaves/in-csnet-10.16.50";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    allow-transfer { none; };
};

zone "51.16.10.in-addr.arpa" IN {
    type slave;
    file "slaves/in-csnet-10.16.51";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    allow-transfer { none; };
};

zone "52.16.10.in-addr.arpa" IN {
    type slave;
    file "slaves/in-csnet-10.16.52";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    allow-transfer { none; };
};

zone "53.16.10.in-addr.arpa" IN {
    type slave;
    file "slaves/in-csnet-10.16.53";
    masters { 10.16.1.115; };
```

```
        allow-query {
            any;
        };
        allow-transfer { none; };
    };

zone "6.16.10.in-addr.arpa" IN {
    type slave;
    file "slaves/in-csnet-10.16.6";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    allow-transfer { none; };
};

zone "7.16.10.in-addr.arpa" IN {
    type slave;
    file "slaves/in-csnet-10.16.7";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    allow-transfer { none; };
};

zone "70.16.10.in-addr.arpa" IN {
    type slave;
    file "slaves/in-csnet-10.16.70";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    allow-transfer { none; };
};

zone "71.16.10.in-addr.arpa" IN {
    type slave;
    file "slaves/in-csnet-10.16.71";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    allow-transfer { none; };
};

zone "8.16.10.in-addr.arpa" IN {
    type slave;
    file "slaves/in-csnet-10.16.8";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    allow-transfer { none; };
};

zone "9.16.10.in-addr.arpa" IN {
    type slave;
```

```
        file "slaves/in-csnet-10.16.9";
        masters { 10.16.1.115; };
        allow-query {
            any;
        };
        allow-transfer { none; };
    };

zone "10.16.10.in-addr.arpa" IN {
    type slave;
    file "slaves/in-csnet-10.16.10";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    allow-transfer { none; };
};

zone "11.16.10.in-addr.arpa" IN {
    type slave;
    file "slaves/in-csnet-10.16.11";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    allow-transfer { none; };
};

zone "12.16.10.in-addr.arpa" IN {
    type slave;
    file "slaves/in-csnet-10.16.12";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    allow-transfer { none; };
};

zone "13.16.10.in-addr.arpa" IN {
    type slave;
    file "slaves/in-csnet-10.16.13";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    allow-transfer { none; };
};

zone "14.16.10.in-addr.arpa" IN {
    type slave;
    file "slaves/in-csnet-10.16.14";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    allow-transfer { none; };
};
```

```
zone "15.16.10.in-addr.arpa" IN {
    type slave;
    file "slaves/in-csnet-10.16.15";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    allow-transfer { none; };
};

zone "16.16.10.in-addr.arpa" IN {
    type slave;
    file "slaves/in-csnet-10.16.16";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    allow-transfer { none; };
};

zone "17.16.10.in-addr.arpa" IN {
    type slave;
    file "slaves/in-csnet-10.16.17";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    allow-transfer { none; };
};

zone "18.16.10.in-addr.arpa" IN {
    type slave;
    file "slaves/in-csnet-10.16.18";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    allow-transfer { none; };
};

zone "19.16.10.in-addr.arpa" IN {
    type slave;
    file "slaves/in-csnet-10.16.19";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    allow-transfer { none; };
};

zone "20.16.10.in-addr.arpa" IN {
    type slave;
    file "slaves/in-csnet-10.16.20";
    masters { 10.16.1.115; };
    allow-query {
```

```
        any;
    };
    allow-transfer { none; };
};

zone "21.16.10.in-addr.arpa" IN {
    type slave;
    file "slaves/in-csnet-10.16.21";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    allow-transfer { none; };
};

zone "22.16.10.in-addr.arpa" IN {
    type slave;
    file "slaves/in-csnet-10.16.22";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    allow-transfer { none; };
};

zone "23.16.10.in-addr.arpa" IN {
    type slave;
    file "slaves/in-csnet-10.16.23";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    allow-transfer { none; };
};

zone "24.16.10.in-addr.arpa" IN {
    type slave;
    file "slaves/in-csnet-10.16.24";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    allow-transfer { none; };
};

zone "25.16.10.in-addr.arpa" IN {
    type slave;
    file "slaves/in-csnet-10.16.25";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    allow-transfer { none; };
};

zone "27.16.10.in-addr.arpa" IN {
```

```
        type slave;
        file "slaves/in-csnet-10.16.27";
        masters { 10.16.1.115; };
        allow-query {
            any;
        };
        allow-transfer { none; };
    };

zone "28.16.10.in-addr.arpa" IN {
    type slave;
    file "slaves/in-csnet-10.16.28";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    allow-transfer { none; };
};

zone "29.16.10.in-addr.arpa" IN {
    type slave;
    file "slaves/in-csnet-10.16.29";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    allow-transfer { none; };
};

zone "254.16.10.in-addr.arpa" IN {
    type slave;
    file "slaves/in-csnet-10.16.254";
    masters { 10.16.1.115; };
    allow-query {
        any;
    };
    allow-transfer { none; };
};
```