

[BEGIN] 12/17/2015 5:26:47 PM

```
//
// named.conf
//
// Provided by Red Hat bind package to configure the ISC BIND named(8) DNS
// server as a caching only nameserver (as a localhost DNS resolver only).
//
// See /usr/share/doc/bind*/sample/ for example named configuration files.
//

options {
###NSC listen-on port 53 { 127.0.0.1; };
    listen-on port 53 { 194.42.17.148; };
###NSC listen-on-v6 port 53 { ::1; };
    listen-on-v6 port 53 { none; };
    version "none";
    directory "/var/named";
###NSC dump-file "/var/named/chroot/var/named/data/cache_dump.db";
###NSC statistics-file "/var/named/chroot/var/named/data/named_stats.txt";
###NSC memstatistics-file "/var/named/data/named_mem_stats.txt";
    dump-file "data/cache_dump.db";
    statistics-file "data/named_stats.txt";
    memstatistics-file "data/named_mem_stats.txt";
    allow-query { localhost; IN-CS-NET; CS-NETS; };
    recursion yes;

    dnssec-enable yes;
    dnssec-validation yes;

    /* Path to ISC DLV key */
    bindkeys-file "/etc/named.iscdlv.key";

    managed-keys-directory "/var/named/dynamic";
};

###NSC logging {
###NSC channel default_debug {
###NSC file "data/named.run";
###NSC severity dynamic;
###NSC };
###NSC };

###NSC_start_logging
logging{
channel cs_zone_log{
file "data/cs_zone.log" versions 3 size 2m;
severity info;
print-severity yes;
print-time yes;
print-category yes;
};
category default{
```

```
cs_zone_log;
};
};
```

```
###NSC_end logging
```

```
acl DMZ-NET {
    194.42.17/24;
};
```

```
acl IN-CS-NET {
    10.16/16;
};
```

```
acl CS-NETS {
    194.42.16/24;
    194.42.18/24;
    194.42.27/24;
};
```

```
###NSC acl IN-CS-NET {
```

```
###NSC 10.16/16;
```

```
###NSC };
```

```
/*acl CSSLAVE {
    194.42.17.149;
};
```

```
acl DMZ-CSS {
    194.42.17.148;
    194.42.17.149;
};
```

```
acl UCY-S {
    194.42.1.50; 194.42.1.55;
};
```

```
*/
```

```
zone "." IN {
    type hint;
    file "named.ca";
};
```

```
zone "ucy.ac.cy" IN {
    type forward;
    forwarders { 194.42.14.97; 194.42.14.193; };
};
```

```
zone "172.in-addr.arpa" IN {
    type forward;
    forwarders { 194.42.14.97; 194.42.14.193; };
};
```

```
include "/etc/named.rfc1912.zones";
include "/etc/named.root.key";
```

```
controls {
    inet 127.0.0.1 port 953 allow { 127.0.0.1; } keys { rndc-key; };
};
```

```
include "/etc/rndc.key";
trusted-keys {
    };
###server 194.42.17.149 {
###    keys {
###        rndc-key;
###    };
### };
[root@helios etc]#
[END] 12/17/2015 5:26:59 PM
```